

THIS POOL CONFORMS TO *APSP/ANSI/ICC-5 2011* & *ISPS 2015* STANDARDS FOR RESIDENTIAL INGROUND SWIMMING POOLS

Type II Pool DATE \_\_\_\_\_

**FILE NUMBER :** 21012739



CUSTOMER SIGNATURE REQUIRED

Perimeter : 128'-9 1/4"

Surface Area : 956.24 SQ FT

33 Wade Rd., Latham, NY 12110

**DEALER NAME :** Sun Splash

Volume : 33,367 gal.

ph: 518-786-1200 / fax: 518-786-0954

**CUSTOMER NAME :** Darling




**DRAWN BY :** dduffy

WARNING: SWIMMING POOLS CAN BE DANGEROUS WHEN USED IMPROPERLY. CONSULT YOUR DEALER FOR SAFETY INFORMATION ON SAFE USE. IT IS THE RESPONSIBILITY OF TOWN OFFICIALS, BUILDERS AND THE HOMEOWNERS TO FOLLOW ALL SAFETY RECOMMENDATIONS OF ANSI/APSP, LOCAL ORDINANCES AND EQUIPMENT MANUFACTURERS.



DEPTH AND SHAPE OF POOL MEET MINIMUM STANDARDS OF THE INTERNATIONAL SWIMMING POOL AND SPA CODE 2018 FOR IN-GROUND SWIMMING POOLS. A MEANS ENTRY/EXIT FOR BOTH THE DEEP END AND THE SHALLOW END OF THE POOL MUST BE PROVIDED IN ACCORDANCE WITH THE 2018 INTERNATIONAL SWIMMING POOL AND SPA CODE SECTION 809. EQUIPOTENTIAL BONDING MUST BE PROVIDED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE NFPA 70. ALL A-FRAME BRACES ARE TO BE MOUNDED WITH MINIMUM 8 INCH DEEP POURED 2500 P.S.I. CONCRETE COLLAR AROUND ENTIRE PERIMETER OF POOL. NO DIVING LABELS ARE TO BE INSTALLED AROUND THE PERIMETER OF POOL AS REQUIRED. SUCTION ENTRAPMENT AVOIDANCE IS TO BE INSTALLED IN ACCORDANCE WITH ANSI/APSP/ICC-7. ALL WORK NOT SPECIFICALLY SHOWN IS TO BE DONE IN ACCORDANCE WITH THE REQUIREMENTS OF THE 2018 INTERNATIONAL SWIMMING POOL AND SPA CODE AND ALL OTHER APPLICABLE CODES.

# SPNXxxxxx ROUGH 8'R STAIR



**FILE NUMBER : 21012739**

Perimeter : 128'-9 1/4"

Surface Area : 956.24 SQ FT

Volume : 33,367 gal.

DRAWN BY : dduffy

SCALE : n/a

Type II Pool

33 Wade Rd.  
Latham, NY 12110  
phn: 518-786-1200  
fax: 518-786-0954

THIS POOL CONFORMS TO CURRENT  
APSP/ANSI/ICC-5 2011 & ISPSC 2018  
STANDARDS FOR RESIDENTIAL  
INGROUND SWIMMING POOLS



**CUSTOMER SIGNATURE REQUIRED**

DEALER NAME : Sun Splash



CUSTOMER NAME : Darling

DATE


**MATRIX**

DEPTH AND SHAPE OF POOL MEET MINIMUM STANDARDS OF THE INTERNATIONAL SWIMMING POOL AND SPA CODE 2018 FOR IN-GROUND SWIMMING POOLS. A MEANS ENTRY/EXIT FOR BOTH THE DEEP END AND THE SHALLOW END OF THE POOL MUST BE PROVIDED IN ACCORDANCE WITH THE 2018 INTERNATIONAL SWIMMING POOL AND SPA CODE SECTION 809. EQUIPOTENTIAL BONDING MUST BE PROVIDED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE NFPA 70. ALL A-FRAME BRACES ARE TO BE MOUNDED WITH MINIMUM 8 INCH DEEP POURED 2500 P.S.I. CONCRETE COLLAR AROUND ENTIRE PERIMETER OF POOL. NO DIVING LABELS ARE TO BE INSTALLED AROUND THE PERIMETER OF POOL AS REQUIRED. SUCTION ENTRAPMENT AVOIDANCE IS TO BE INSTALLED IN ACCORDANCE WITH ANSI/APSP/ICC-7. ALL WORK NOT SPECIFICALLY SHOWN IS TO BE DONE IN ACCORDANCE WITH THE REQUIREMENTS OF THE 2018 INTERNATIONAL SWIMMING POOL AND SPA CODE AND ALL OTHER APPLICABLE CODES.

SPNXxxxxx  
ROUGH 7'R SUNDECK



4" CONCRETE DECK



FILE NUMBER : 21012739

Perimeter : 128'-9 1/4"

Surface Area : 956.24 SQ FT

Volume : 33,367 gal.

DRAWN BY : dduffy SCALE n/a

Type II Pool

33 Wade Rd.  
Latham, NY 12110  
phn: 518-786-1200  
fax: 518-786-0954

THIS POOL CONFORMS TO CURRENT  
APSP/ANSI/ICC-5 2011 & ISPSC 2018  
STANDARDS FOR RESIDENTIAL  
INGROUND SWIMMING POOLS



WARNING: SWIMMING POOLS CAN BE DANGEROUS WHEN USED IMPROPERLY CONSULT YOUR DEALER FOR SAFETY INFORMATION ON SAFE USE. IT IS THE RESPONSIBILITY OF TOWN OFFICIALS, BUILDERS AND THE HOMEOWNERS TO FOLLOW ALL SAFETY RECOMMENDATIONS OF ANSI/APSP, LOCAL ORDINANCES AND EQUIPMENT MANUFACTURERS.

CUSTOMER SIGNATURE REQUIRED




DATE

DEALER NAME : Sun Splash  
CUSTOMER NAME : Darling

**MATRIX**

DEPTH AND SHAPE OF POOL MEET MINIMUM STANDARDS OF THE INTERNATIONAL SWIMMING POOL AND SPA CODE 2018 FOR IN-GROUND SWIMMING POOLS. A MEANS ENTRY/EXIT FOR BOTH THE DEEP END AND THE SHALLOW END OF THE POOL MUST BE PROVIDED IN ACCORDANCE WITH THE 2018 INTERNATIONAL SWIMMING POOL AND SPA CODE SECTION 809. EQUIPOTENTIAL BONDING MUST BE PROVIDED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE NFPA 70. ALL A-FRAME BRACES ARE TO BE MOUNDED WITH MINIMUM 8 INCH DEEP POURED 2500 P.S.I. CONCRETE COLLAR AROUND ENTIRE PERIMETER OF POOL. NO DIVING LABELS ARE TO BE INSTALLED AROUND THE PERIMETER OF POOL AS REQUIRED. SUCTION ENTRAPMENT AVOIDANCE IS TO BE INSTALLED IN ACCORDANCE WITH ANSI/APSP/ICC-7. ALL WORK NOT SPECIFICALLY SHOWN IS TO BE DONE IN ACCORDANCE WITH THE REQUIREMENTS OF THE 2018 INTERNATIONAL SWIMMING POOL AND SPA CODE AND ALL OTHER APPLICABLE CODES.

# SPNXxxxx ROUGH 10'R BENCH



<b>FILE NUMBER : 21012739</b> Perimeter : 128'-9 1/4" Surface Area : 956.24 SQ FT Volume : 33,367 gal. DRAWN BY : dduffy SCALE : n/a	Type II Pool	THIS POOL CONFORMS TO CURRENT <b>APSP/ANSI/ICC-5 2011 &amp; ISPSC 2018</b> STANDARDS FOR RESIDENTIAL INGROUND SWIMMING POOLS	CUSTOMER SIGNATURE REQUIRED	DATE
	33 Wade Rd. Latham, NY 12110 phn: 518-786-1200 fax: 518-786-0954		DEALER NAME : Sun Splash CUSTOMER NAME : Darling	
	WARNING: SWIMMING POOLS CAN BE DANGEROUS WHEN USED IMPROPERLY CONSULT YOUR DEALER FOR SAFETY INFORMATION ON SAFE USE. IT IS THE RESPONSIBILITY OF TOWN OFFICIALS, BUILDERS AND THE HOMEOWNERS TO FOLLOW ALL SAFETY RECOMMENDATIONS OF ANSI/APSP, LOCAL ORDINANCES AND EQUIPMENT MANUFACTURERS.			
	DEPTH AND SHAPE OF POOL MEET MINIMUM STANDARDS OF THE INTERNATIONAL SWIMMING POOL AND SPA CODE 2018 FOR IN-GROUND SWIMMING POOLS. A MEANS ENTRY/EXIT FOR BOTH THE DEEP END AND THE SHALLOW END OF THE POOL MUST BE PROVIDED IN ACCORDANCE WITH THE 2018 INTERNATIONAL SWIMMING POOL AND SPA CODE SECTION 809. EQUIPOTENTIAL BONDING MUST BE PROVIDED IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE NFPA 70. ALL A-FRAME BRACES ARE TO BE MOUNDED WITH MINIMUM 8 INCH DEEP POURED 2500 P.S.I. CONCRETE COLLAR AROUND ENTIRE PERIMETER OF POOL. NO DIVING LABELS ARE TO BE INSTALLED AROUND THE PERIMETER OF POOL AS REQUIRED. SUCTION ENTRAPMENT AVOIDANCE IS TO BE INSTALLED IN ACCORDANCE WITH ANSI/APSP/ICC-7. ALL WORK NOT SPECIFICALLY SHOWN IS TO BE DONE IN ACCORDANCE WITH THE REQUIREMENTS OF THE 2018 INTERNATIONAL SWIMMING POOL AND SPA CODE AND ALL OTHER APPLICABLE CODES.			