TOWN OF SOMERS WATER POLLUTION CONTROL AUTHORITY REGULAR MEETING MINUTES June 5, 2018 7:30 PM -TOWN HALL

I. CALL TO ORDER

The meeting was called to order at 7:32 pm by Chairman, James Botellio. Other members present were: Stephen Getman, Mark Marschall, George VanTasel, Jr. Charles Colby and Daniel Fraro. Also present was Steven Jacobs, Town Sanitarian.

II. MINUTES APPROVAL

The minutes of May 8, 2018 were reviewed:

A motion was made by Mr. Getman to approve the minutes as written. 2nd by Mr. VanTasel, all in favor, motion passed.

III. SOMERSVILLE WPCF – UV DISINFECTION

Mr. Jacobs reported that we had problems with the start-up of the UV Disinfection system this season. We had two failed test, both of which were Ok upon retesting. We have consulted with Trojan Technologies and had Maher Corp. replace the monitoring board and sensor. The bulbs had been replaced prior to start-up, so all the equipment is now new. Thus far, no explanation for the failures have been confirmed. Mr. Jacobs will check with Hazardville Water Co. for any changes in water treatment, which may have contributed to the problem. Mr. Jacobs also reported that the pumps on Quality Ave. are in need of a rebuild and he is getting pricing for that.

IV. CORRESPONDENCE/AUDIENCE PARTICIPATION

- Mr. Jacobs sent an Invitation to Bid out for the cleaning of the septic tanks on the Maple Ridge System and one for the Somersville WPCF.
- Mr. Jacobs reported that the CT-DEEP has sent notice for renewal of the Somersville WPCF discharge permit.

V. BILLS/TRANSFERS

Phoenix Labs	\$143.00
Phoenix Labs	\$75.00
Phoenix Labs	\$30.00
Somers Star Hardware	\$135.46

Maher Corp.	\$3480.81
Maher Corp.	\$1075.00
CT-DEEP	\$1722.50
	\$6661.37

A motion was made by Mr. VanTasel to approve the bills as submitted, 2nd by Mr. Colby, all in favor, motion passed.

VI. ADJOURNMENT

A motion to adjourn the regular meeting was made by Mr. Colby at 8:00 pm, 2nd by Mr. VanTasel, all in favor, motion passed.

Respectfully submitted,

Daniel Fraro WPCA Secretary