



United States
**CONSUMER PRODUCT
SAFETY COMMISSION**

PandaEar Recalls Stainless Steel Children's Cups Due to Violation of Federal Lead Content Ban; Sold Exclusively on Amazon.com (Recall Alert)



Recalled PandaEar Stainless Steel Toddler Cups, 8 oz.



Name of Product:

PandaEar Stainless Steel Toddler Cups, 8 oz.

Hazard:

The bottom exterior of the recalled stainless-steel cups contains an accessible solder bead with levels of lead that exceed the federal lead content ban. Lead is toxic if ingested by young children and can cause adverse health effects. In addition, the lid can crack and break during use producing sharp edges and small parts, posing choking and laceration hazards to children.

Remedy:

Refund

Recall Date:

November 22, 2023

Units:

About 1,600

Consumer

Contact

PandaEar by email at productrecall1@gmail.com, or online at their Amazon storefront on [Amazon.com](https://www.amazon.com/stores/PandaEar/page/F41452DB-D758-4201-A055-5A092F6E0A35?ref_=ast_bln) at https://www.amazon.com/stores/PandaEar/page/F41452DB-D758-4201-A055-5A092F6E0A35?ref_=ast_bln

Recall Details

Description:

This recall involves the 8 oz. models of PandaEar Stainless Steel Toddler Cups sold in sets of two, in pink and gray or blue and gray colors with matching silicone straws. There are no exterior markings on the cups.

Remedy:

Consumers should immediately take the recalled cups away from children, stop using them and contact PandaEar for a full refund. PandaEar and Amazon are contacting all known purchasers.

Incidents/Injuries:

None reported

Sold At:

Online at Amazon.com from May 2023 through August 2023 for about \$12

Retailer:

PandaEar, of Lake Dallas, Texas

Manufactured In:

China

Recall number:

24-716

Note: Individual Commissioners may have statements related to this topic. Please visit www.cpsc.gov/commissioners to search for statements related to this or other topics.

Recall Complaint

If you are experiencing issues with a recall remedy or believe a company is being non-responsive to your remedy request, please use this form and explain the situation to CPSC.